TechDigestant II Garbage Rooms Odors Control

V 3.0



Especial Engineered Enzyme: 5 Gl. Container (About 30 days consume):




We guarantee our system kills odor causing bacteria





TechDigestant II System Componentes



TechDigestant II | Garbage Room and Dumpsters Bad-Smell Control | Enzyme Bacteria Digestant System | Trash Chutes Cleaner and Disinfectant Full Automatic Programmable Sprayer System | Simple Set-Up Installation | Industrial-Grade





Specifications for this Kit:

Brand Name	Solvedify		
Part Number	SO-5G-2507A-E-CMN2903		
Number of Items	22		
Package Weight	78.0 pounds		
Size			
UNSPSC Code	76101606		

Product Description:


The **TechDigesta nt II** is an automatic programmable spraying system combined with our last generation bioengineered enzyme solution to deliver the higher possible control over the putrid gases releases from organic decomposition.

Neutralized the Bad-Colors while a pleassant fragance take over

The TechDigestant II kit pakage includes:

- 1. German tech USA made full digital programmable pump/fogger/dispenser, and the ease to use full support instruction.
- 2. 20 feet 1/4" LDPE Tubing.
- 3. Spray nozzle assambly kit (2 sprayer, 1 T fitting conector, and 1 adjusable sprayer angle bracket).
- 4. 1/4 x 1/4 QC Union Fitting Kit (2 pack).
- 5. AC Adapter U.S.A. 120 Volt (1 pack).
- 6. #8 Screw & Anchor Kit (4 pack).
- 7. Compression fitting (3 pack).
- 8. Adhesive wall clips (5 pack).
- 9. 24" to the dumpters center wall bracket (1 pack).
- 10. Wall bucket rack safe locking (1 pack).
- 11.5 gallons special enzyme disgestant (colony forming 200 billion cfu/gla.).

Installation



Simple and comprehensible diagramed installation instruction. Most connections are with quick couplings. (4) screws for the pump/dispenser, (2) screws for the 24" to the dumpster center wall bracket, and (2) screws for the wall mounting buckle rack.

Engeenered coomponents:



All the system components are designed not only to dispense the enzyme in a timely and precise manner, but also to ensure that the chemical covers the entire dumpster area by using a full cone pattern sprayer at the appropriate angle and height. The spraying components are attached to a 24-inch-long bracket to reach the center of the dumpster.

We make sure you will use all Enzyme in the container:



Unlike most applications that need to extract liquids from containers using flexible tubing, which creates a circular shape at the bottom of the container, leaving a lot of the liquid unused, the TechDigestant II system has a specially designed "Pick Up Tube" that allows you to use almost to the last drop of the enzyme. Optional WiFi fluid level "Pick Up Tube.


Complaying with security and safety issues:



The TechDigestant II system features a secure bucket rack locking mechanism to protect the enzyme container from impacts that are commonly caused when the full garbage dumpsters are being emptied by the garbage truck personnel.

Additionally, the bucket allows for the use of any lock to ensure that only authorized individuals can manipulate the enzyme and container. The system is in compliance with OSHA regulations (HCS) (29 CFR 1910.1200(g)), and GHS signs indicating that the contents are harmful/irritant are provided, along with an MSDS that includes emergency contact information and first-aid measures.

How much Enzyme do I need to dispensing?



Our in-house developed online calculator tool will help you estimate the correct quantity of enzyme you might need for an efficient installed system, proportional to the number of people living in the property. This is a key piece of information for controlling your enzyme supply consumption.

Programming:



The intuitive digital user interface allows for step-by-step dispenser setup in just minutes. Simply complete the basic information, including the date, time, desired dispensing days of the week, interval time between dispensings, and dispensing duration, and the system will do the rest.

Frendly to the environment:




This is an aqueous solution consisting of naturally occurring microorganisms, surfactants, and colorants. It is generally considered to be non-hazardous.

Application Includes:


- Grease traps (restaurants, large kitchen institutions)
- Drain maintenance
- Odor control
- Dumpster (Video 1, Video 2)
- Trash chutes
- Food service
- Lodging
- Food processing
- Lift stations

THE MECHANICS OF ORGANIC DIGESTION

The purpose of adding a bacterial digestant to organic waste is to hasten the process of decomposition without producing foul odors. Three basic elements needed to quickly and effectively break down waste. These elements are nutrients, free enzymes and bacterial cultures. Here's how it works:



NUTRIENTS: Promote bacteria growth and increase digestion activity



FREE ENZYMES:
Break down complex
waste molecules
making digestion easier
for bacteria



BACTERIAL CULTURES:

Select bacteria digest and eliminate organic waste by converting it into its basic components carbon dioxide, and water







PRODUCT USES Enzyme formu

Enzyme formulation whose organisms digest and liquify oils, foods, fats and grease which cloq and contaminate grease traps and drain lines. New and improved version

introduced in June 2010.

OPERATOR BENEFITS • Safe on sinks and drains.

• Special bacteria cultures digest organic waste.

• Contains no harmful acids, solvents, nor caustics.

DIRECTIONS FOR USEGeneral Odor Control: Eliminate blood, urine, smoke and feces in areas as garbage cans, waste

receptacles, locker rooms, carpet, etc. Spray product directly on malodor and allow the bacterial action to digest the material while the pleasant fragrance immediately neutralizes the odor. Grease Traps: For traps less than 20 cubic feet capacity, add 4-5 oz. of product daily, by pouring in a sink or pipeline closest to the trap. This should be done at night or when the traps are used the least. Flush with a cup of lukewarm water. For grease traps larger than 20 cubic feet, add 8-10 oz.

Color: Milky

daily using the same procedure.

Drain Lines & Down Pipes: Use product a minimum of 2 times weekly, to a maximum of 4 times. Add 4 oz. of product for each 2 inches of pipe size

PRODUCT SPECS Pack size: 4/1 Gal., 5 Gal.

Characteristics: Non-viscous liquid Odor: Fresh "out-doorsy"

Rinsability: NA Foam: Low

Flammability: NA pH in conc. form: 6.5 – 8.5

Biodegradable: Yes Phosphorous content: 0.0%

Colony Forming Units: 200 billion cfu/gal.

IMPORTANT OPERATOR INFORMATION

SDS: Refer to the Safety Data Sheet (SDS) supplied by your distributor

for information on emergency response, safe usage, hazards, first aid and

proper product handling.

Emergency Response Phone: 1-800-424-9300

Statement ofIf swallowed: Dilute by giving large amounts of water and call a physician.

Practical Treatment: For eye or skin contact: Flush with cool water for 15 minutes and call a physician.

Product Precautions: CAUTION: Harmful if swallowed. Irritating to eyes and skin.

KEEP OUT OF REACH OF CHILDREN.

Shipping Classification: Not Regulated

TMA - Grease Gobbler Page 1 of 2

Safety Data Sheet

Section 1: Identification

Name: TMA - Grease Gobbler Date Issued: 4-19-15 Other Name: N/A TMA Code: TM108558

Recommended Use: Digests grease & oils biologically

Supplier Information: Technical Marketing Alliance 2335 Buttermilk Crossing Crescent Springs, KY 41017

Emergency Telephone: 800-424-9300 Product Information: 859-727-7854

Section 2: Hazard(s) Identification

Potential Health Effects

Signal Word = Warning

Label Elements:

Hazard Category:

Acute Oral Toxicity = 4 - Harmful if swallowed Eye Damage/Irritation = 2B - Causes eye irritation

Precautionary Statement:

Prevention = Wash any contacted parts of the body after handling with soap and water thoroughly. Wear eye protection/face protection.

Response = If swallowed, contact a physician immediately and follow advice from medical professional If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina.

If eye irritation persists: Get medical advice/attention.

Storage = Store containers in an upright position. Ensure container lids are in place and secure when not in use. Disposal = Review all federal, state and local laws regarding disposal of this product.

Prolonged/Repeated Exposure Effects: See section 2 for acute affects

Eye: N/A Skin: N/A Inhalation: N/A Ingestion: N/A

The above listed potential effects are compiled based on a review of all component SDS's

Section 3: Composition Information on Ingredients

This is an aqueous solution containing naturally occurring micro-organisms, surfactants and colorants. It is generally considered as non-hazardous.

%Phosphorus in product: 0%

All components are considered non-hazardous and proprietary in their quantities

Section 4: First Aid Measures

Eye: Flush affected area with large quantities of water for at least 15 minutes. Obtain medical attention if irritation persists. Skin: Flush affected area with large quantities of water for at least 15 minutes. Obtain medical attention if irritation persists. Inhalation: If symptoms are experienced, remove victim to fresh air. Obtain medical attention if irritation persists. Ingestion: Obtain medical attention.

Section 5: Fire Fighting Measures

Flash Point: N/A Fire Fighting Methods: Use methods

suitable for surrounding fire. Auto ignition Temperature: Not Determined

Flammability Limits: N/A

Extinguishing Media: Select extinguisher suitable for surrounding fire Unusual Fire Hazards: N/A

Section 6: Accidental Release Measures

Containment and Clean up: Observe all personal protective equipment noted in sections 5 and 8. Observe local, state, and federal laws and regulations that may apply to a release and disposal of this material.

TMA - Grease Gobbler Page 2 of 2

Section 7: Handling and Storage

Store containers in an upright position. Ensure container lids are in place and secure when not in use.

Section 8: Exposure Controls

PPE for Routine Handling and Spills: Wear safety glasses and chemical resistant gloves.

Eyes: Safety glasses recommended when handling large quantities.

Skin: Chemical protective gloves are recommended

Inhalation: No respiratory protection required.

Section 9: Physical and Chemical Properties					
Physical Form: Liquid	Odor: Fresh "out doorsey"	Freezing/Melting Point: N/D			
Color: Thin Milky	Specific Gravity: Similar to water	pH: 6.5-8.5			
Boiling Point: N/D	Viscosity: N/D	Vapor Density: N/D			
Vapor Pressure: N/D					
Section 10: Stability and Reactivity					
Chemical Stability: Stable	Hazardous Polymerization: Will not Occur		Conditions to Avoid: N/A		
Materials to Avoid: N/A	Hazardous Decomposition Products: N/A				
Section 11: Toxicological Information					
Special Hazard Information on Components: No known applicable information					
Listed on NTP Report? No					
Listed on IARC (Suspected Carcinogen)? No					
Section 12: Ecological Information					

Exotoxicity: N/D Bio accumulative Potential: N/D

Persistence and Degradability: Similar to water Mobility in Soil? N/D

Section 13: Disposal Considerations

Review all federal, state and local laws regarding disposal of this product.

Section 14: Transportation Information

DOT Shipment Information (49 CRF 172.101): Non Dot Regulated

Section 15: Regulatory Information

Contents of this SDS comply with OSHA's Hazard Communication Standard 29 CRF 1910.1200.

TSCA Status: None of the chemical substances appearing on this SDS are subject to the Toxic Substances Control Act (TSCA) section 12(b) export notification requirements delineated at 40 CFR part 707, subpart D.

EPA SARA Title III Chemical Listings: N/A CERCLA Hazardous Substances: N/A Section 311/312 Hazard Class: N/A Section 313 Toxic Chemicals: N/A

Section 16: Other Information

Prepared by: J. Chantz Horman on 4/19/15. The industrial hygiene and safe handling procedures are believed to be applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.